



### **Glass used in Balcony Guards**

In the summer of 2011, there was considerable media attention focused on “falling glass” from breakage of the glass panels used as guards on several condominium buildings in Toronto.

In each reported instance, it was tempered glass that broke, with fragments falling into neighbouring streets. One individual was reported injured by falling pieces. Sidewalks were cordoned off and the developers arranged to replace the guards. Extensive reports as to cause and appropriate repairs were commissioned. A prime suspect in most instances was the presence of Nickel Sulphide inclusions in the tempered glass panels.

The City of Toronto and the Residential Construction Council of Ontario asked the province to review and amend the Ontario Building Code to help reduce the likelihood of more glass falling from newly constructed buildings.

In response, the Building Code Branch of the Ministry of Municipal Affairs and Housing convened an Expert Panel on Glass Panels in Balcony Guards. The Panel’s mandate was to recommend whether and how the OBC might be amended to address the problem and the risk to persons stemming from such breakage.

A set of seven recommendations was sent to the Ministry for consideration and the province enacted Supplementary Standard SB-13, Glass in Guards, June 12, 2012 which came into effect on July 1, 2012.

As the Panel was completing its recommendations, a number of “Class Action” lawsuits were filed related to some of the affected buildings based on the loss of use of the balconies by the unit owners.

It is understood that the province intends the Supplementary Standard to be an interim measure, pending development of a new CSA Standard suitable for reference in the NBC, OBC, and other provincial and territorial building codes.

In the interim, architects considering the use of safety glass in balcony guards or balustrades, should familiarize themselves with the new code provisions that now apply in Ontario.

Supplementary Standard SB-13, Glass in Guards, June 12, 2012 can be accessed on the Ontario Building Code website: [www.mah.gov.on.ca/Asset9717.aspx?method.1](http://www.mah.gov.on.ca/Asset9717.aspx?method.1)

---

***Disclaimer:***

The contents of this PDF are derived from a website and offer information for general purposes only. The material presented does not establish, report or create the standard of care for Ontario architects. The information is by necessity generalized and an abridged account of the matters described. It should in no way be construed as legal or insurance advice and should not be relied

on as such. Readers are cautioned to refer specific questions to their own lawyer or professional advisors. Efforts have been made to assure accuracy of any referenced material at time of publication; however, no reliance may be placed on such references. Readers must carry out their own due diligence. Professional Liability Insurance provides valuable coverages and benefits however does not cover everything. Please refer to the Policy wordings for specific coverages, benefits, exclusions and limitations. This PDF should not be reproduced in whole or in part in any form or by any means without written permission of Pro-Demnity Insurance Company. Please contact [mail@prodemnity.com](mailto:mail@prodemnity.com).